2776 = 2 4215 \$
2776 = 1 4215
ADDITIVE

2064 91

	Printed	/Typed Name	Signature	Month	Day	Year
	R	obert G. Tuello Jr.	Robert Commence	111	م لەق	1 / X
		ensporter 1 Acknowledgement of Receipt of Materials				F.,
	Printed	/Typed Name	Signature	Month	Day	Year
	وحرا	AM T. ROMERO 7403	Sam T. Komer			LI
	18. Tr	ensporter 2 Acknowledgement of Receipt of Materials	_			10
	Printed	/Typed Name	Signature	Month	Day	Year
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				خلا
•	19. Di	crepancy Indication Space				
	l					
	l					
	L		delice and health marifest except as noted in Iring 19			
	20. Fa	cility Owner or Operator Certification of receipt of hazardous mate	erials covered by this manifest except as noted in firm 19.	Manah	Davi	Voer

DHS 8022 A

Р

EPA 8700-22 (Rev. 6-89) Previous editions are obsolete. Do Not Write Below This Line

YELOW: TSDF SENDS THIS COPY TO GENERATOR WITHIN 30 DAYS

## CERTIFICATE OF TREATMENT/RECYCLING

ISSUED TO

DOUGLAS AIRCRAFT COMPANY

90379091 MANIFEST NUMBER

DATE RECEIVED \_\_\_\_JULY 25, 1991

The aqueous waste received on the above manifest with the treated to standards mandated by the FEDERAL CLEAN WATER ACT and to effluent requirements established by the Sanitation Districts of Los Angeles County. Waste treatment and recycling is performed under permits granted to CHEM-TECH STOPMS, INC., a California corporation, by the California Department of Health Services, in coordination with the Environmental Protection Agency, in accordance with the provisions of the Resource Conservation and Recovery Act (RCRA) of 1976, together with applicable federal and state regulations including but not limited to waste discharge requirements established by the Suntation Il strict of Los Angeles County.

When the above described material is accepted by CHEMTECH SYSTEMS, INC. and treated/recycled and the aqueous phase discharged for further treatment by the Santation Districts, the certificate holder's responsibility for the material is eliminated under both RCRA and Proposition 65. Upon request, CHEM-TECH SYSTEMS, INC. will aske this certificate that all material bas been handled in accordance with applicable permits, and the certificate bolder's liability has been terminated.



CHEM-TECH SYSTE

JULY 25, 1991

3650 EAST 26th STREET • VERNON, CALIFORNIA 90023 (213) 268-5056 • FAX: (213) 268-9672

## See Instructions on Back of Page 6 and Front of Page 7

Department of Health Services
Toxic Substances Control Division
Secremento, California

Douglas Aircraft Company Attn: R.		ument No	A. State	Manifest Docum	ant Nug	P* 0 0 0 0				
	Douglas Aircraft Company Attn: R. Tuell M/S C6-59					A. State Manifest Document Number 90379091				
19503 S. Normandie Avenue, Torrance	B. State Generator's ID  H   A   H   O   3   6   0   0   5   6   9   8									
Generator's Phone (213 ) 533-7926 or (213) 533.  Transporter 1 Company Name 6.										
		C. State Transporter's ID //CYM/ 7 D. Transporter's Phone / 212 WDSD 2323								
Transporter 2 Company Name 8.	A D 0 5 8 0 1 8 US EPA ID Number	1 4 4 4	D. Transporter's Phone (213) 268-3137  E. State Transporter's ID							
1.1	F. Transporter's Phone									
Designated Facility Name and Site Address Chem-Tech Systems, Inc.	US EPA ID Number		G. State Facility's ID							
3650 E. 26th Street										
	A,T,0,8,0,0,3,3	.6.8.7	H. Facility 213-	/'s Phone 268-3387	T.					
		12. Conta		13. Total	14.	T				
1. US DOT Description (Including Proper Shipping Name, Hazard Cla	ass, and ID Number)	No.	Туре	Quantity	Unit Wt/Vo	Waste No				
RQ, Hazardous Waste Liquid, N.O.S.	(Chromium)					<sup>9</sup> 723				
ORM-E, NA9189 (D007)		000	+ + 1	72.00		50007****				
		101013	<u>'   '   '</u>	1200	6	State				
		1								
		, ,			]	EPA/Other				
				<del></del>		State				
					ļ	EPA/Other				
						State				
	\$-00 \$-00		į			State				
		1	.			EPA/Other				
Sodium Borate 0-3% Sodium Poly Sodium Nitrate 0-1% Diethylene	Glycol Monobut		<b>G</b> . "		d.					
Sodium Nitrate 0-1% Diethylene Sodium Chromate 0-5% Fther 0-5% 5. Special Fraction instructions and Additional Information	Glycol Monobut	yt-			L,					
Sodium Nitrate 0-1% Diethylene	Glycol Monobut ec at 800-424-9	y <b>!-</b> 300. <b>1</b> 1			L,	r, return				
Sodium Nitrate 0-1% Diethylene Sodium Chromate 0-5% Fther 0-5% Fther 0-5% Special information information in case of accident, contact Chemtre generator. Volume is approximate. Di	Glycol Monobut ec at 800-424-9	y <b>!-</b> 300. <b>1</b> 1			L,	r, return				
Sodium Nitrate 0-1% Diethylene Sodium Chromate 0-5% Ether 0-5% 5. Special legaling instructions and Additional Information In case of accident, contact Chemtre generator, Volume is approximate. Die 6.	ec at 800-424-9 OT Emergency Re	300. If	<b>Quide</b>	# a)31.	3 1 ve	er shipping name				
Sodium Nitrate 0-1% Diethylene Sodium Chromate 0-5% Fther 0-5%  5. Special including instructions and Additional Information  In case of accident, contact Chemtre generator. Volume is approximate. Die GENERATOR'S CERTIFICATION: I hereby declare that the contant and are classified, packed, marked, and labeled, and are in all renational government regulations.	ec at 800-424-9 OT Emergency Re	300. If sponse	curately de y highway	# a)31. escribed above according to ap	by propoplicable	er shipping name e international and				
Sodium Nitrate 0-1% Diethylene Sodium Chromate 0-5% Fther 0-5;  5. Special Heading Instructions and Additional Information  In case of accident, contact Chemtre generator, Volume is approximate. Di  6.  GENERATOR'S CERTIFICATION: I hereby declare that the contant are classified, packed, marked, and labeled, and are in all re national government regulations.  If I am a large quantity generator, I certify that I have a program it to be economically proceed and that I have selected the practicable and that I have selected the practicable and the processor and future threat to human health and the environment:	ec at 800-424-9 OT Emergency Re  Itents of this consignment are espects in proper condition for the proper condition for	300. If sponse fully and according transport by storage, or denerator, I had	curately de y highway	escribed above according to appearated to the creative available.	by propoplicable e degree to me	er shipping name e international and e I have determine which minimizes t				
Sodium Nitrate 0-1% Diethylene Sodium Chromate 0-5% Fther 0-5%  5. Special Heading Instructions and Additional Information  In case of accident, contact Chemtre generator. Volume is approximate. Diethylene of the second and are classified, packed, marked, and labeled, and are in all renational government regulations.  If I am a large quantity generator, I certify that I have a program is to be economically practicable and that I have selected the practice of	ec at 800-424-9 OT Emergency Restants of this consignment are espects in proper condition for the proper condition for th	300. If sponse fully and according transport by storage, or denerator, I had	curately de y highway	escribed above according to appearated to the creative available.	by propoplicable e degree to me	er shipping name e international and e I have determine which minimizes t				
Sodium Nitrate 0-1% Diethylene Sodium Chromate 0-5% Fther 0-5%  5. Spelia Linding Instructions and Additional Information  In case of accident, contact Chemtre generator. Volume is approximate. Die and are classified, packed, marked, and labeled, and are in all renational government regulations.  If I am a large quantity generator, I certify that I have a program is to be economically practicable and that I have selected the practice of the program of	ec at 800-424-9 OT Emergency Restants of this consignment employees to reduce the volume tricable method of treatment, OR, if I am a small quantity gives a validable to me and that it	300. If sponse fully and according transport by storage, or denerator, I had	curately de y highway	escribed above according to appearated to the creative available.	by propoplicable e degree to me	er shipping name a international and e I have determine which minimizes t inimize my waste				
Sodium Nitrate 0-1% Diethylene Sodium Chromate 0-5% Fther 0-5%  5. Special Heading Instructions and Additional Information  In case of accident, contact Chemtre generator. Volume is approximate. Diethylene of the second and are classified, packed, marked, and labeled, and are in all renational government regulations.  If I am a large quantity generator, I certify that I have a program is to be economically practicable and that I have selected the practice of	ec at 800-424-9 OT Emergency Restants of this consignment are espects in proper condition for in place to reduce the volument cable method of treatment, OR, if I am a small quantity gis available to me and that the signature	300. If sponse fully and according transport by storage, or denerator, I had	curately de y highway	escribed above according to appearated to the creative available.	by propoplicable e degree to me	er shipping name e international and e I have determine which minimizes t inimize my waste				
Sodium Nitrate 0-1% Diethylene Sodium Chromate 0-5% Fther 0-5% Fther 0-5% Spaint additional Information In case of accident, contact Chemtre generator. Volume is approximate. Die GENERATOR'S CERTIFICATION: I hereby declare that the contant are classified, packed, marked, and labeled, and are in all renational government regulations.  If I am a large quantity generator, I certify that I have a program is to be economically practicable and that I have selected the practice peneration and select the best waste management method that is crinted/Typed Name.	ec at 800-424-9 OT Emergency Restants of this consignment are espects in proper condition for in place to reduce the volume ticable method of treatment. OR, if I am a small quantity gas available to me and that it is signature.	300. If sponse  fully and according transport by the and toxicity storage, or denerator, I had can afford.	curately de y highway of waste isposal cu ve made a	escribed above according to appearated to the creative available.	by propoplicable e degree to me	er shipping name a international and e I have determine which minimizes t inimize my waste				
Sodium Nitrate 0-1% Diethylene Sodium Chromate 0-5% Fther 0-5% 5. spelial legiling instructions and Additional Information In case of accident, contact Chemtre generator. Volume is approximate. Die and are classified, packed, marked, and labeled, and are in all renational government regulations.  If I am a large quantity generator, I certify that I have a program is to be economically practicable and that I have selected the practice present and future threat to human health and the environment: Commencation and select the best waste management method that is printed/Typed Name  7. Transporter 1 Acknowledgement of Receipt of Materials  7. Transporter 1 Acknowledgement of Receipt of Materials  7. Transporter 1 Acknowledgement of Receipt of Materials	ec at 800-424-9 OT Emergency Restants of this consignment are espects in proper condition for in place to reduce the volument cable method of treatment, OR, if I am a small quantity gis available to me and that the signature	300. If sponse fully and according transport by storage, or denerator, I had	curately de y highway of waste isposal cu ve made a	escribed above according to appearated to the creative available.	by propoplicable e degree to me	er shipping name e international and e I have determine which minimizes t inimize my waste				
Sodium Nitrate 0-1% Diethylene Sodium Chromate 0-5% Fther 0-5% Fther 0-5% Sodium Chromate 0-5% Fther 0-5% Fthe	ec at 800-424-9 OT Emergency Restants of this consignment are aspects in proper condition for in place to reduce the volume tricable method of treatment, OR, if I am a small quantity g is available to me and that the signature	300. If sponse  fully and according transport by the and toxicity storage, or denerator, I had can afford.	curately de y highway of waste isposal cu ve made a	escribed above according to appearated to the creative available.	by propoplicable e degree to me	er shipping name e international and e I have determine which minimizes t inimize my waste				
Sodium Nitrate 0-1% Diethylene Sodium Chromate 0-5% Fther 0-5% 5. spelial legiling instructions and Additional Information In case of accident, contact Chemtre generator. Volume is approximate. Die and are classified, packed, marked, and labeled, and are in all renational government regulations.  If I am a large quantity generator, I certify that I have a program is to be economically practicable and that I have selected the practice present and future threat to human health and the environment: Commencation and select the best waste management method that is printed/Typed Name  7. Transporter 1 Acknowledgement of Receipt of Materials  7. Transporter 1 Acknowledgement of Receipt of Materials  7. Transporter 1 Acknowledgement of Receipt of Materials	ec at 800-424-9 OT Emergency Restants of this consignment are espects in proper condition for in place to reduce the volume ticable method of treatment. OR, if I am a small quantity gas available to me and that it is signature.	300. If sponse  fully and according transport by the and toxicity storage, or denerator, I had can afford.	curately de y highway of waste isposal cu ve made a	escribed above according to appearated to the creative available.	by propoplicable e degree to me	er shipping name a international and a let have determine which minimizes to inimize my waste  Month Day  Month Day				
Sodium Nitrate 0-1% Diethylene Sodium Chromate 0-5% Fther 0-5% Fther 0-5% Sodium Chromate 0-5% Fther 0-5% Fthe	ec at 800-424-9 OT Emergency Restants of this consignment are aspects in proper condition for in place to reduce the volume tricable method of treatment, OR, if I am a small quantity g is available to me and that the signature	300. If sponse  fully and according transport by the and toxicity storage, or denerator, I had can afford.	curately de y highway of waste isposal cu ve made a	escribed above according to appearated to the creative available.	by propoplicable e degree to me	er shipping name a international and a let have determine which minimizes to inimize my waste  Month Day  Month Day				
Sodium Nitrate 0-1% Diethylene Sodium Chromate 0-5% Fther 0-5%  5. Special Heading Instructions and Additional Information  In case of accident, contact Chemtre generator. Volume is approximate. Diethylene of the second and are classified, packed, marked, and labeled, and are in all renational government regulations.  If I am a large quantity generator, I certify that I have a program is to be economically practicable and that I have selected the practice present and future threat to human health and the environment; Commendation and select the best waste management method that is crinted/Typed Name.  Printed/Typed Name  17. Transporter 1 Acknowledgement of Receipt of Materials  Printed/Typed Name  18. Transporter 2 Acknowledgement of Receipt of Materials  Printed/Typed Name	ec at 800-424-9 OT Emergency Restants of this consignment are aspects in proper condition for in place to reduce the volume tricable method of treatment, OR, if I am a small quantity g is available to me and that the signature	300. If sponse  fully and according transport by the and toxicity storage, or denerator, I had can afford.	curately de y highway of waste isposal cu ve made a	escribed above according to appearated to the creative available.	by propoplicable e degree to me	er shipping name a international and a let have determine which minimizes to inimize my waste  Month Day  Month Day				
Sodium Nitrate 0-1% Diethylene Sodium Chromate 0-5% Fther 0-5%  5. Special Heading Instructions and Additional Information  In case of accident, contact Chemtre generator. Volume is approximate. Diethylene of the second and are classified, packed, marked, and labeled, and are in all renational government regulations.  If I am a large quantity generator, I certify that I have a program is to be economically practicable and that I have selected the practice present and future threat to human health and the environment; Commendation and select the best waste management method that is crinted/Typed Name.  Printed/Typed Name  17. Transporter 1 Acknowledgement of Receipt of Materials  Printed/Typed Name  18. Transporter 2 Acknowledgement of Receipt of Materials  Printed/Typed Name	ec at 800-424-9 OT Emergency Restants of this consignment are aspects in proper condition for in place to reduce the volume tricable method of treatment, OR, if I am a small quantity g is available to me and that the signature	300. If sponse  fully and according transport by the and toxicity storage, or denerator, I had can afford.	curately de y highway of waste isposal cu ve made a	escribed above according to appearated to the creative available.	by propoplicable e degree to me	er shipping name a international and a let have determine which minimizes to inimize my waste  Month Day  Month Day				
Sodium Nitrate 0-1% Diethylene Sodium Chromate 0-5% Fther 0-5%  5. Special Heading Instructions and Additional Information  In case of accident, contact Chemtre generator. Volume is approximate. Diethylene of the second and are classified, packed, marked, and labeled, and are in all renational government regulations.  If I am a large quantity generator, I certify that I have a program is to be economically practicable and that I have selected the practice present and future threat to human health and the environment; Commendation and select the best waste management method that is crinted/Typed Name.  Printed/Typed Name  17. Transporter 1 Acknowledgement of Receipt of Materials  Printed/Typed Name  18. Transporter 2 Acknowledgement of Receipt of Materials  Printed/Typed Name	ec at 800-424-9 OT Emergency Restants of this consignment expects in proper condition from place to reduce the volume ticable method of treatment, OR, if I am a small quantity graduate is available to me and that it signature    Signature   Signa	300. If sponse a fully and according transport by storage, or dignerator, I had an afford.	curately de y highway of waste isposal cu ve made a	escribed above according to appearated to the rrently available a good faith effort	by propoplicable e degree to me	er shipping name a international and a let have determine which minimizes to inimize my waste  Month Day  Month Day				

DHS 8022 A

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RE

 $90379091 \\ \text{NSE CENTER 1-800-424-8802: WITHIN CALIFORNIA CALL 1-800-852-7550}$ 

EPA 8700—22 (Rev. 6-89) Previous editions are obsolete.

YELLOW: GENERATOR RETAINS



4133 Bandini Blvd. Los Angeles, California, 90023 (213) 268-3137 FAX (213) 268-6254

## **WORK ORDER** 007403

EPA NO. **ĈAD 058018367** FED. TAX NO. **XR 95 - 2769288** WAŜTE HAULER NO. **139** 

DEPT. \$29711C331-102/P.O. BOX 2731  LONG BEACH, CALIF. 90801  PHONE NO. (213) 533-7955  DESTINATION LOS ANGRES  DESTINATION LOS ANGRES  TORRANCE, CALIF.  PHONE (213) 783-5855  DESTINATION LOS ANGRES  DESTINATION LOS ANGRES  PROVIDE 5000 CALLON VACUUM TRUCK TO PURP RINSE WATER FROM TANK  \$ 190 AND TRANSPORT TO CHEM TECH FOR TREATMENT AND DISPOSAL.  I.D.\$ 110724-01  NO. LOADS / PRIVATE PROPERTY DISPOSAL SITE C. T.S.  RUCK NO. ***********************************	MCDO	HEIELL DOUGLAS	CORP.		TIME: _		က်	
TORRANCE, CALIF.  PO NUMBER  RELEASE NO  DEPT. 629711C331-102/P.O. BOX 2731  CONTACT  LONG BEACH, CALIF. 90801  PHONE NO. (213) 533-7956  OB ADDRESS  NCDCEMBELL DOUGLAS CORP.  JOB NO. A 91-07-596  19503 BO. NCRHANDTE AVE.  CONTACT  KINK MARD  TORRANCE, CALIF.  PHONE (213) 783-585;  ORIGIN  TORRANCE, CALIF.  PHONE (213) 783-585;  ORIGIN  TORRANCE  PROVIDE SOOD GALLON VACUUM TRUCK TO PURP RINSE MATER FROM TANK  1 190 AND TRANSPORT TO CHEM TECH FOR TREATMENT AND DISPOSAL.  I.D. 9 110724-01  NO. LOADS  PRIVATE PROPERTY  DISPOSAL SITE Q. T. S.  RUCK NO. 1941; 319RAILER NO. 15-15 CAPACITY  START  OPERATION  LOCATION START FINISH HRS RATE  PRE TRIF  OZ 30 0 300  OPERATION  LOCATION START FINISH HRS RATE  PRE TRIF  OZ 30 0 300  DISPOSAL FEE  WASH OUT  START GIVES  DISPOSAL FEE  WASH OUT  CINARGE  DISPOSAL CARRYING  CHARGE  DISPOSAL CARRYING  CHARGE  DISPOSAL CARRYING  CHARGE  OTHER  TOTAL CHARGES  DRIVER  HELPER	1950	3 SO. 1907MANE	DIE AVE	•	DATE:	JU	LY 25	, 1991
DEFT. \$29711C331-102/P.O. BOX 2731 CONTACT POLLY LONG BERCH, CALIF. 90801 PHONE NO. (213) 533-7952  OB ADDRESS HOMELL DUCKAS CORP. 19503 SO. HORRANDE AVE. CONTACT KIRK MARD TORRANCE, CALIF.  DESTINATION LOS ANCELES OMMODITY MANIFEST NO. 7637 909 FROVIDE 5000 GALLON VACUUM TRUCK TO FURP RINSE MATER FROM TANK \$ 190 AND TRANSPORT TO CHEM TECH FOR TREATMENT AND DISPOSAL.  I.D.\$ 110724-01  NO. LOADS PRIVATE PROPERTY DISPOSAL SITE C.T.5.  RUCK NO. 1914 1974 1974 1974 1974 1974 1974 1974						4		35.7
DEPT. (2971)C331-102/P.O. BOX 2731  LONG BERCH, CALIF. 90801  PHONE NO. (213) 533-7955  DOB ADDRESS HODGRAS CORP.  19503 SO. HORRANCE AVE.  CONTACT FIRM MARD  TORRANCE, CALIF.  PHONE (213) 783-5855  CONTACT FIRM MARD  PHONE (213) 783-5855  CONTACT FIRM MARD  PHONE (213) 783-5855  CONTACT FIRM MARD  PHONE (213) 783-585  CONTACT FIRM MARD  PHONE (213) 783-585  CONTACT FIRM MARD  PHONE (213) 783-585  MANIFEST NO. 7037 909  MANIFEST NO.	DESS MCDO	NNELL DOUGLAS	DOUGLAS CORP.					
LONG BEACH, CALIF. 90801  PHONE NO. (213) 533-7956  OB ADDRESS  NCROMMELL DOUGLAS CORP.  19503 BO. NCRIMADIE AVE.  CONTACT KINK MARD  TORRANCE, CALIF.  PHONE (213) 783-5855  ORIGIN  TORRANCE  DESTINATION  LOS ANGRES  MANIFEST NO. 9037 909  PROVIDE 5000 GALLON VACUUM TRUCK TO FURP RINSE MATER FROM TANK  \$ 190 AND TRANSPORT TO CHEM TECH FOR TREATMENT AND DISPOSAL.  I.D.\$ 110724-01  NO. LOADS  PRIVATE PROPERTY  DISPOSAL SITE  C.T.S.  START  STOP  GROSS HOURS  OPERATION  LOCATION  START FINISH HRS  RATE  PRE 1 FL P  DESTINATION  DISPOSAL SITE  C.T.S.  TRUCKING CHARGES  DISPOSAL FEE  WASH DUT  DISPOSAL CARRYING CHARGES  OTHER  TOTAL CHARGES  DRIVER  JORIVER  HELPER		. <b>029711C331</b> -	-102/P.	O. BOX 273	CONTAC	T PO	LLY	
OB ADDRESS   NCRUMENTE   DOUGLAS CORP.   JOB NO.   91-07-596	LONG	BEACH, CALIF	r. 908	01	PHONE	NO (2	13) 5	33-7955
TORRANCE, CALIF.  PHONE  TORRANCE  DESTINATION  MANIFEST NO. 9037 909  PROVIDE 5000 GALLON VACUUM TRUCK TO PUMP RINSE WATER FROM TANK  1 190 AND TRANSPORT TO CHEM TECH FOR TREATMENT AND DISPOSAL.  1.D.\$ 110724-01  PRIVATE PROPERTY  DISPOSAL SITE 2.7.5.  RUCK NO. 1944  3/9RAILER NO. 155  GROSS HOURS  OPERATION  LOCATION START FINISH HRS RATE  PROPERTY  DISPOSAL CARRYING CHARGES  DISPOSAL CARRYING CHARGE  DISPOSAL CARRYING CHARGE  OTHER  TOTAL CHARGES  DISPOSAL CARRYING CHARGE  OTHER  TOTAL CHARGES  DRIVER  WASH OUT DISPOSAL CARRYING CHARGE  OTHER  TOTAL CHARGES  DRIVER  HELPER	- ACDO	MARKEL DOUGLAS	s corp.					
TORRANCE, CALIF.  PHONE  DESTINATION LOS ANGELES  MANIFEST NO 9037 909  PROVIDE 5000 GALLON VACUM TRUCK TO PUMP RINSE WATER FROM TANK  190 AND TRANSPORT TO CHEM TECH FOR TREATMENT AND DISPOSAL.  I.D.\$ 110724-01  NO. LOADS  PRIVATE PROPERTY  DISPOSAL SITE C. T. S.  RUCK NO. 1914  319RAILER NO. 15 CAPACITY  GROSS HOURS  OPERATION  LOCATION START FINISH HRS RATE  PROPERTY  DISPOSAL CARRYING  DISPOSAL CARRYING  CHARGE  OTHER  TOTAL CHARGES  DRIVER  DRIVER  DRIVER  DRIVER  DRIVER  DRIVER  DRIVER  HELPER	>							
DESTINATION LOS ANGELES	TORR	ANCE, CALIF.	, <del>,.,</del>			1.1		
MANIFEST NO. 9037 909  PROVIDE 5000 GALLON VACUUM TRUCK TO PUMP RINSE WATER FROM TANK  1 190 AND TRANSPORT TO CHEM TECH FOR TREATMENT AND DISPOSAL.  I.D.\$ 110724-01  NO. LOADS		- Jul	· T		PHONE			<del></del>
MANIFEST NO. 9037 909  PROVIDE 5000 GALLON VACUUM TRUCK TO PUMP RINSE WATER FROM TANK  1 190 AND TRANSPORT TO CHEM TECH FOR TREATMENT AND DISPOSAL.  I.D.\$ 110724-01  NO. LOADS						is co		we wa
PROVIDE 5000 GALLON VACUUM TRUCK TO PUMP RINSE WATER FROM TANK  1 190 AND TRANSPORT TO CHEM TECH FOR TREATMENT AND DISPOSAL.  I.D.\$ 110724-01  NO. LOADS / PRIVATE PROPERTY DISPOSAL SITE C.T.S.  RUCK NO. 13/9RAILER NO. 15 CAPACITY 5000 GROSS HOURS  START STOP GROSS HOURS  OPERATION LOCATION START FINISH HRS RATE  PROPERATION LOCATION START FINISH HRS RATE  TRUCKING CHARGES  DISPOSAL CARRYING CHARGE  WASH OUT  DISPOSAL CARRYING CHARGE  OTHER  TOTAL CHARGE  OTHER  DRIVER AND TANK  DRIVER  DRIVER  DRIVER  MINUS DOWN TIME  MELPER			· · · · · · · · · · · · · · · · · · ·					
I 190 AND TRANSPORT TO CHEM TECH FOR TRRATMENT AND DISPOSAL.  I.D.\$ 110724-01  NO. LOADS	KIAS	E WATER! 1						
I.D. 110724-01  NO. LOADS	ORMEDPR	OVIDE 5000 G	allon v	ACUUM TRUC	K TO PUMP 1	RINSE WAT	er pr	M TANK
NO. LOADS / PRIVATE PROPERTY DISPOSAL SITE C.T.S.  RUCK NO. START STOP GROSS HOURS  OPERATION LOCATION START FINISH HRS RATE  PRE 1814 OCCOUNTY START FINISH HRS RATE  TRUCKING CHARGES DISPOSAL FEE WASH OUT DISPOSAL CARRYING CHARGE SURCHARGE OTHER  DRIVER  DRIVER  DRIVER  DRIVER  DRIVER  DRIVER  DRIVER  DRIVER  MINUS DOWN TIME  DISPOSAL SITE C.T.S.  TRUCKING CHARGES  DISPOSAL CARRYING CHARGE  OTHER  DRIVER  DRIVER  MELPER		190 AND TRANS	SPORT T	O CHEM TEC	H FOR TREA	embry and	DISP	CSAL.
OPERATION LOCATION START FINISH HRS RATE  PRE TRIE O230 0300								<u> </u>
TRAVEL  DRIVER  DRIVER  DRIVER  DRIVER  DRIVER  DRIVER  MINUS DOWN TIME  TRUCKING CHARGES  DISPOSAL FEE  WASH OUT  DISPOSAL CARRYING CHARGE  SURCHARGE  TOTAL CHARGES  DRIVER  DRIVER  HELPER	YMW 3	19 RAILER NO.	pe kis k m	F-15 C	APACITY	50006		- 1
DISPOSAL FEE  WASH OUT  DISPOSAL CARRYING CHARGE SURCHARGE OTHER  TOTAL CHARGES  DRIVER DRIVER DRIVER DRIVER HELPER	ymwc 3	<b>/9</b> RAILER NO STOP	PARS IN	F-15 C	APACITY	50006		- 1
DAGE 1145  TRAVEL 1145  WASH OUT DISPOSAL CARRYING CHARGE SURCHARGE OTHER  TOTAL CHARGES  DRIVER DRIVER DRIVER HELPER	LOCAT	RAILER NO STOP	FINISH	HRS RA	APACITY GROSS H	<b>5000 6</b>		- 1
DISPOSAL CARRYING CHARGE SURCHARGE OTHER  TOTAL CHARGES  DRIVER DRIVER DRIVER HELPER	LOCAT	PRAILER NO STOP tion START	FINISH	HRS RA	APACITY GROSS H	SOLO G	ARGES	- 1
SURCHARGE OTHER  TOTAL CHARGES  DRIVER DRIVER DRIVER HELPER	LOCAT	STOP TION START	FINISH 0300	HRS RA	APACITY GROSS H	SOLO G	RGES	- 1
DRIVER DRIVER DRIVER DRIVER HELPER	LOCAT	STOPSTOP TION START  0230 0300	FINISH 0300 0345	HRS RA	APACITY	SOURS RUCKING CHA	ARGES	- 1
DRIVER CANUT ON DRIVER MINUS DOWN TIME  DRIVER HELPER	LOCAT	STOPSTOP TION START  0230 0300	FINISH 0300 0345	HRS RA	APACITY GROSS H TE	FOLS GIOURS	ARGES	- 1
DRIVER CANUT ON DRIVER MINUS DOWN TIME  DRIVER HELPER	LOCAT	STOPSTOP TION START  0230 0300	FINISH 0300 0345	HRS RA	APACITYGROSS H TE	FOURS RUCKING CHADISPOSAL FEE WASH OUT ISPOSAL CARE HARGE SURCHARGE	ARGES	- 1
DRIVER DRIVER DRIVER DRIVER HELPER	LOCAT	STOPSTOP TION START  0230 0300	FINISH 0300 0345	HRS RA	APACITYGROSS H TE	FOURS RUCKING CHADISPOSAL FEE WASH OUT ISPOSAL CARE HARGE SURCHARGE	ARGES	- 1
MINUS DOWN TIME DRIVER HELPER	LOCAT	STOPSTOP TION START  0230 0300	FINISH 0300 0345	HRS RA	APACITY	FOURS  RUCKING CHA DISPOSAL FEE WASH OUT ISPOSAL CAR HARGE SURCHARGE	RYING	- 1
MINUS DOWN TIME HELPER	LOCAT	STOPSTOP TION START  0230 0300	FINISH 0300 0345	HRS RA	APACITY	FOTAL CHARG	RYING	- 1
	LOCAT	STOPSTOP TION START  0230 0300	FINISH 0300 0345	HRS RA	APACITYGROSS H TE	FOURS	RYING	
CHARGEABLE HRS.	LOCAT	STOPSTOP TION START  0230 0300	FINISH 0300 0345	HRS RA	APACITYGROSS H TE C C C	RUCKING CHA DISPOSAL FEE WASH OUT ISPOSAL CAR HARGE SURCHARGE OTHER	RYING	
	LOCAT	STOPSTOP TION START  0230 0300	FINISH 0300 0345	HRS RA	APACITYGROSS H TE  Ti D C	FOURS  RUCKING CHA DISPOSAL FEE WASH OUT ISPOSAL CAR HARGE SURCHARGE OTHER  ORIVER  DRIVER	RYING	

Generator N	Name: Dougley A	in Al C	HEFDA T D	#: CADO865/00	101
Chem-Tech Sys	stems Waste I.D. Nu	mber: 1/0724.	Manifest Number		
	submitted to Chem- land disposal of	<del>-</del>		with 40 CFR Part 2	58, which
			· · · · · · · · · · · · · · · · · · ·		
I. Identif:	ication of the W	laste Stream			
	ste stream is		Non-w	astewater	
		ous waste numbe		nis shipment (as de	fined in
40 CFR		fy the correspo		(as defined in 40	
200.41	, .42, .43) II appi	TCSDIA.			
			l warms was a same		]
,	USEPA Hazardous Waste Number	Subcategory	USEPA Hazardous Waste Number	Subcategory	
	0007				
\	<u> </u>				l
	(	use additional	sheets as necessary	<b>()</b>	
	ment Requirement				
40 CFR 26	58.7, please indica		ping requirements a te is to be managed	as defined in i to comply with the	<b>.</b>
regulation	ons.				
	Restricted Waste	Subject to 1	reatment		
•				treated to the app	licable
treat	tment standard as d	lefined in 40 CF		D and all prohibit	ions set
	irement applies to			10007	
and/	or the following Ca	lifornia list c	constituents	acid. metals	_
	cyanides,			ne applicable treat	
stan			Chem-Tech Systems		
CTSR(1)\7	-90				

Restricted Waste Treated to Performance Standards	
The USEPA hazardous waste number(s)	
Has/have been treated in compliance with applicable performance standards as defined if 40 CFR Part 268 Subpart D. I have attached all supporting analytical data. I certify under penalty of law that I have personally examined and am familiar with the treatment technology and the operation of the treatment process used to support this certificati and that, based on my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process has been operated and maintaine properly so as to comply with the performance levels specified in 40 CFR Part 268 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA Section 3004(d) without impermissible dilution of the prohibited waste. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine or imprisonment.	t .o .n
C. Restricted Waste with Technology Based Treatment Standards	
I certify under penalty of law that the waste has been treated in accordance with the requirements of 40 CFR 268.42. I am aware that there are significant penalties for submitting a false certification including the possibility of fine and imprisonment. Treatment has been performed for USEPA hazardous waste	
number (s)	
D. Restricted Waste Subject to a Variance or Extension	
The restricted waste(s) identified in (I) above is subject to a case-by-case extension a national capacity variance, or a treatability variance. This variance applies to USE hazardous waste number(s)	
E. Restricted Waste can be Land Disposed Without Further Treatment	
I am the initial generator of the following USEPA hazardous waste number(s)	_
I have determined that the waste meets all applicable treatment standards as defined in 40 CFR Part 268 Subpart D, and all applicable prohibition levels set forth in 40 CFR 268.32, RCRA Section 3004(d), and CCR Title 22, Chapter 30, Article 41, and therefore can be land disposed without further treatment. A copy of all applicable treatment standards and specified treatment methods is maintained at Chem-Tech Systems, Inc. I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that the waste complies with the treatment standards specified in 40 CFR	
268 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA Section 3004(d). I believe that the information I submitted is true, accurate and complete. I am aware that there are significant penalties for submitting a false certification, including the possibility of a fine and imprisonment.	
I HEREBY CERTIFY THAT ALL INFORMATION SUBMITTED IN THIS AND ALL ASSOCIATED DOCUMENTS IS COMPLETE AND ACCURATE, TO THE BEST OF MY KNOWLEDGE AND INFORMATION.	}
ignature: XRobert & Juelly, Title: XSr. Plant Enginer Sate: \$ 07-25-91	
Jame of Company Generating the waste: Y Douglas Aircraft Company	